

■ MOLDED WITH INSERT ■ DOUBLE FLANGE





Fig. 1

Fig. 2



FOR 3/8" BELTS

MATERIAL: Pulley - Polycarbonate, Fiberglass Reinforced
Insert - Aluminum, Knurled



Catalog Number	Fig. No.	No. of Grooves	P.D.	O.D.	F.D.	B Bore +.001 -.000	A Dia.	C Hub Dia.	Set Screw
A 6Z 3-10DF03706	1	10	.637	.617	.87	.1875 .250	3/8	11/16	#6-32
A 6Z 3-10DF03708									
A 6Z 3-11DF03706		11	.700	.680	.93	.1875 .250	3/8	11/16	#6-32
A 6Z 3-11DF03708									
A 6Z 3-12DF03706		12	.764	.744	.99	.1875 .250	3/8	11/16	#6-32
A 6Z 3-12DF03708									
A 6Z 3-13DF03706		13	.828	.808	1.06	.1875 .250	3/8	11/16	#6-32
A 6Z 3-13DF03708									
A 6Z 3-14DF03708		14	.891	.871	1.12	.250 .3125 .375	1/2	3/4	#8-32
A 6Z 3-14DF03710									
A 6Z 3-14DF03712		15	.955	.935	1.19	.250 .3125 .375	1/2	3/4	#8-32
A 6Z 3-15DF03710									
A 6Z 3-15DF03712		16	1.019	.999	1.24	.250 .3125 .375	1/2	3/4	#8-32
A 6Z 3-16DF03708									
A 6Z 3-16DF03710		17	1.082	1.063	1.31	.250 .3125 .375	1/2	3/4	#8-32
A 6Z 3-17DF03710									
A 6Z 3-17DF03712		18	1.146	1.126	1.38	.250 .3125 .375	1/2	3/4	#8-32
A 6Z 3-18DF03708									
A 6Z 3-18DF03710	19	1.210	1.190	1.44	.250 .3125 .375	1/2	3/4	#8-32	
A 6Z 3-18DF03712									
A 6Z 3-19DF03708	20	1.273	1.253	1.51	.250 .3125 .375	1/2	7/8	#8-32	
A 6Z 3-19DF03710									
A 6Z 3-19DF03712	20	1.273	1.253	1.51	.250 .3125 .375	1/2	7/8	#8-32	
A 6Z 3-20DF03708									
A 6Z 3-20DF03710	20	1.273	1.253	1.51	.250 .3125 .375	1/2	7/8	#8-32	
A 6Z 3-20DF03712									

Continued on the next page

**2 - TIMING PULLEYS
INCH**

■ MOLDED WITH INSERT

■ DOUBLE FLANGE



FOR 3/8" BELTS



MATERIAL: Pulley - Polycarbonate, Fiberglass Reinforced
Insert - Aluminum, Knurled

Catalog Number	No. of Grooves	P.D.	O.D.	F.D.	B Bore +.001 -.000
A 6Z 3-21DF03708	21	1.337	1.317	1.57	.250
A 6Z 3-21DF03710					.3125
A 6Z 3-21DF03712					.375
A 6Z 3-22DF03708	22	1.401	1.381	1.63	.250
A 6Z 3-22DF03710					.3125
A 6Z 3-22DF03712					.375
A 6Z 3-23DF03708	23	1.464	1.445	1.69	.250
A 6Z 3-23DF03710					.3125
A 6Z 3-23DF03712					.375
A 6Z 3-24DF03708	24	1.528	1.508	1.76	.250
A 6Z 3-24DF03710					.3125
A 6Z 3-24DF03712					.375
A 6Z 3-25DF03708	25	1.592	1.572	1.82	.250
A 6Z 3-25DF03710					.3125
A 6Z 3-25DF03712					.375
A 6Z 3-26DF03708	26	1.655	1.636	1.89	.250
A 6Z 3-26DF03710					.3125
A 6Z 3-26DF03712					.375
A 6Z 3-27DF03708	27	1.719	1.700	1.95	.250
A 6Z 3-27DF03710					.3125
A 6Z 3-27DF03712					.375
A 6Z 3-28DF03708	28	1.783	1.763	2.02	.250
A 6Z 3-28DF03710					.3125
A 6Z 3-28DF03712					.375
A 6Z 3-29DF03708	29	1.846	1.827	2.08	.250
A 6Z 3-29DF03710					.3125
A 6Z 3-29DF03712					.375
A 6Z 3-30DF03708	30	1.910	1.890	2.14	.250
A 6Z 3-30DF03710					.3125
A 6Z 3-30DF03712					.375

Continued on the next page

■ MOLDED WITH INSERT

■ DOUBLE FLANGE



FOR 3/8" BELTS

MATERIAL: Pulley - Polycarbonate, Fiberglass Reinforced
Insert - Aluminum, Knurled

Catalog Number	No. of Grooves	P.D.	O.D.	F.D.	B Bore +.001 -.000
A 6Z 3-31DF03710					.3125
A 6Z 3-31DF03712	31	1.973	1.954	2.20	.375
A 6Z 3-31DF03716					.500
A 6Z 3-32DF03710					.3125
A 6Z 3-32DF03712	32	2.037	2.017	2.27	.375
A 6Z 3-32DF03716					.500
A 6Z 3-34DF03710					.3125
A 6Z 3-34DF03712	34	2.165	2.145	2.40	.375
A 6Z 3-34DF03716					.500
A 6Z 3-35DF03710					.3125
A 6Z 3-35DF03712	35	2.228	2.209	2.46	.375
A 6Z 3-35DF03716					.500
A 6Z 3-36DF03710					.3125
A 6Z 3-36DF03712	36	2.292	2.272	2.53	.375
A 6Z 3-36DF03716					.500
A 6Z 3-37DF03710					.3125
A 6Z 3-37DF03712	37	2.355	2.336	2.59	.375
A 6Z 3-37DF03716					.500
A 6Z 3-39DF03710					.3125
A 6Z 3-39DF03712	39	2.482	2.462	2.71	.375
A 6Z 3-39DF03716					.500
A 6Z 3-40DF03710					.3125
A 6Z 3-40DF03712	40	2.546	2.526	2.78	.375
A 6Z 3-40DF03716					.500
A 6Z 3-42DF03710					.3125
A 6Z 3-42DF03712	42	2.674	2.654	2.92	.375
A 6Z 3-42DF03716					.500
A 6Z 3-44DF03710					.3125
A 6Z 3-44DF03712	44	2.801	2.781	3.04	.375
A 6Z 3-44DF03716					.500
A 6Z 3-48DF03710					.3125
A 6Z 3-48DF03712	48	3.056	3.036	3.29	.375
A 6Z 3-48DF03716					.500